_		
10	~	luardian
		wardian
. •	•	aa. a.a

Read "Instructions for the vaccination of yellow fever" before filling out this form.

# Guardian's Agreement Form

To the Chief of Chubu Airport Branch Office of Nagoya Quarantine Station

I agree that the vac	cinee ( <b>Name</b>		) gets va	accine
of yellow fever on ( <u>(Y</u>	ear)20 (Mo	onth) (Day)	).	
	<u>(Year)20</u>	(Month)	(Day)	_
【Guardian】				
Address				
Phone Number				
Name		Guardian's relationship to vaccinee	0	
Name				
[Vaccinee]				
<u>Address</u>				

## [Instructions for the vaccination of yellow fever]

Chubu Airport Branch Office of Nagoya Quarantine Station

Yellow fever is an acute viral hemorrhagic disease **transmitted by mosquito**.

The disease is endemic in tropical areas of Africa and Central and South America.

It is preventable by vaccination and personal preventive measure against mosquito bite.

It is recommended to get vaccinated if you travel to areas at risk of yellow fever.

Some countries or areas requires travelers to show the proof of yellow fever vaccination before entering the countries or areas.

#### Yellow fever vaccine

Yellow fever vaccine is made from the virus of yellow fever.

The virus is weakened not to cause the disease the vaccine prevents (attenuated live vaccine).

The doctor in charge of vaccination gives yellow fever vaccine by a subcutaneous injection. Preventing effect (immunity) is now thought to continue for a lifetime by single shot of the vaccine.

### o Side effect of yellow fever vaccine

#### > Mild side effects

Some of the following symptoms may occur within a few days after vaccination in approximately 10% of vaccinees.

#### Redness, swelling or pain at the injected site / Headache / Fever / Muscle pain / Back pain / Joint pain / Fatigue / Rash

These side effects are within normal reactions when your body gets immunity against yellow fever.

These symptoms will usually disappear within a few days spontaneously.

Seek medical advice from your doctor if these symptoms continue and/or affect your daily life, because those symptoms might be due to other diseases.

#### > Severe side effects

- Anaphylactic shock
  - Symptoms are rash, dyspnea (shortness of breath), vomiting, hypotension (low blood pressure) and so on.

#### It may rarely (1 in 100,000) occur within 30 minutes after vaccination.

Therefore, vaccinee is supposed to stay in the waiting room for 30 minutes after vaccination.

Disorder of brain and nerves / Disorder of internal organs

Severe side effects may occur within 1 month after vaccination in a few cases in 100,000 vaccinees.

If high fever over 38.0 degrees Celsius (100.4 in Fahrenheit) continues or seizure/convulsion occurs, seek medical advice immediately.

#### **《For women》**

- > Avoid pregnancy for 2 months after vaccination.
- Avoid breast-feeding after vaccination unless you and your breast-fed child get this vaccination simultaneously. If you have any questions, consult the doctor in charge of vaccination.

## To guardian

Read "Instructions for the vaccination of yellow fever" before filling out this form.

# Guardian's Agreement Form

Example

To the Chief of Chubu Airport Branch Office of Nagoya Quarantine Station	
I have read "Instructions for the vaccination of Yellow fever" and fully understood its	
penefits and side effects.	
I agree that the vaccinee ( <b>Name</b> ) gets vaccine	
of yellow fever on ( <b>(Year)20 (Month) (Day)</b> ).	
(Year) 20 (Month) (Day)	
[Guardian] Fill in "Date of vaccination"	
Address	
Phone Number  Guardian's relationship to vaccinee	
Signature of guardian  Fill in phone number we can get connection on the date of vaccination	<u> </u>
[Vaccinee]	
Address	
Name Signature of vaccinee	